

**REMARKS**

The claim stands rejected under 35 USC 112, first and second paragraphs because the specification presents less than full, clear and complete botanical description of the plant and the characteristics which define same per se and which distinguish the plant from related known cultivars and antecedents. The Examiner listed a number of specific areas of concern in paragraphs A-F of the September 23, 2003 Office Action. Applicant appreciates the Examiner's review and encloses herewith a marked-up copy of the specification showing the matter being added to and the matter being deleted from the specification of record. Also enclosed is a clean copy without markings as to the amended material. The marked-up copy shows Applicant's amendments addressing the issues raised by the Examiner in paragraphs A-F.

In particular, the new substitute specification provides information relative to the plant's reproductive organs (see page 6, lines 1-9, of Applicant's new substitute specification), and inflorescence bud (see page 5, lines 4-5, of Applicant's new substitute specification).


Applicant respectfully submits that the description is as complete as is reasonably possible.

No new matter has been added.

In view of the new substitute specification, it is submitted that the application is now ready for allowance. If any additional information is needed, the Examiner is invited to call the undersigned at (919) 765-5117.

It is believed that no fee is due. However, the Commissioner is also hereby authorized to charge any additional fees under 37 CFR §1.17, which may be required to maintain the pendency of the above application, to Deposit Account No. 50-1744 in the name of Syngenta Biotechnology, Inc.

Respectfully submitted,



Edouard G. Lebel  
Edouard G. Lebel, Ph. D.,  
Reg. No. 43,742  
Agent for Applicant  
Phone: (919) 765-5117

Syngenta Biotechnology, Inc.  
Patent Department  
P.O. Box 12257  
Research Triangle Park, NC 27709-2257

Date: November 21, 2003



60143P1

RECEIVED

NOV 28 2003

TECH CENTER 1600/2900

## AGERATUM PLANT NAMED 'AGETIS'

Latin name of the genus and species of the plant claimed*Ageratum houstonianum*

5

Variety denomination

'AGETIS'

Background of the new plant

10

The present invention comprises a new distinct cultivar of Ageratum, botanically known as *Ageratum houstonianum*. The new cultivar is propagated from cuttings resulting from the cross of 'Q343-2' and 'S570-2'. 'Q343-2' is a purple flowering Ageratum having a compact habit. 'Q343-2' is not commercially available and is not known by any synonyms.

15

'S570-2' is a blue and white flowering Ageratum having an upright habit. 'S570-2' is a selection from the variety 'Southern Cross'.

20

Neither 'Q342-2' or 'S570-2' has been patented. As a result of this cross the present cultivar was created in 1997 in Enkhuizen, Netherlands and has been repeatedly asexually reproduced by cuttings in Enkhuizen, Netherlands, in Gilroy, USA, in Angers, France and in Sarrians, France over a three-year period. The distinctive characteristics of this new Ageratum are stable and reproduced true to type in successive generations of asexual reproduction. It takes 9 to 11 weeks to produce a finished plant, depending on the temperature.

25

This new Ageratum plant is an annual in most climatical zones in the US, only in zones 9 and 10 is it a perennial plant.

30

### Description of the drawing

This new Ageratum plant is illustrated by the accompanying photographic drawing which shows blooms, buds and foliage of the plant in full color, the color shown being as true as can be reasonably obtained by conventional photographic procedures.

### Description of the new cultivar

10 The following detailed descriptions set forth the distinctive characteristics of this new Ageratum. The data which defines these characteristics were collected from asexual reproductions carried out in Enkhuizen, Netherlands. The plant history was taken on 20 weeks old plants, blossomed under natural light and artificial light in a greenhouse. Color readings were taken in the greenhouse under ambient light. Color references are primarily 15 to the RHS Color Chart of the Royal Horticultural Society of London.

**Table 1**

#### Differences between the new variety 'Agetis', its parents and a similar cultivar

Character	'Agetis'	'Q343-2'	'S570-2'	'R116'
Flower color	Violet	Purple	Blue and white	Violet
Size of capitulum	16-21 mm	6-9 mm	16-21 mm	7-9 mm
Plant height	30-40 cm	20-25 cm	25-35 cm	20-25 cm
Branching	At every internode	At every internode	Not at every internode	At every internode

**The Plant**

Classification - Botanical	:	<i>Ageratum houstonianum</i>
Parentage	:	A seedling named 'Q343-2' is one of our seedlings from our Q-generation of plants bred in 1987
5	- Female parent	
	- Pollen parent	A seedling named 'S570-2' is one of our seedlings from our S-generation of plants bred in 1997
Growth habit	:	Erect, well branched
Plant height	:	30-40 cm
Spreading area of plant	:	30-40 cm
10	Growth rate	Vigorous
	Strength	Very good
	Branching character	Freely branching and lateral branching at every node
	Blooming period	Year round

15

**The stem**

Diameter	:	2-2.5 mm
Shape	:	Round
Color	:	145 B
20	Anthocyan pigmentation	Absent
	Length of the stems	11- 40 cm
	Length of the internodes	30 - 42 mm, depending on the light where the plant is propagate
	Length of the stem	5-15 cm
25	Pubescence	Slightly pubescent

**The Foliage**

	Phyllotaxis	:	Opposite, decussate
	Shape of blade	:	Ovate
	Texture	:	Slightly pubescent
	- Upper side	:	
	- Lower side	:	Slightly pubescent
5	Venation	:	Reticulate
	Leaf margin	:	Crenate
	Leaf base	:	Cordate
	Leaf apex	:	Rounded
	Length	:	27-63 mm
10	Width	:	30-68 mm
	Color	:	Dark green 137A
	- Upper side	:	
	- Lower side	:	Medium green 143A
	Pubescence	:	Some pubescence is present
	Length of petiole	:	11-15 mm
15	Color of petiole	:	Light green 145C
	Petiole surface texture	:	Slightly pubescent

### Inflorescence

	Inflorescence	:	Compound umbel of capitula
20	Length of peduncle	:	18-35 mm
	Diameter of peduncle	:	2 – 3 mm
	Color of peduncle exposed to light	:	RHS 152B
	Color of peduncle not exposed to light	:	RHS 145A
	Length of pedicel	:	4-11 mm
25	Diameter of pedicel	:	1 – 2 mm
	Color of pedicel	:	RHS 145A
	Number of inflorescence per plant	:	5 – 9 when ready for sale

	Diameter of umbel	: 4 - 6 cm
	Depth of umbel	: 2 - 5 cm
	Number of capitula per inflorescence	: 10-19
	Number of <u>disc florets</u> <u>corolla</u> per capitulum	: 80-120
5	<u>Capitulum in bud stage bud</u>	: <u>round, flat capitulum, showing unopened florets</u> <u>from the start</u>
	<u>Number of ray florets</u>	: 0
	Shape of corolla of the disk floret	: actinomorph
	Number of lobes	: 5
10	Length of <u>disc floret corolla</u>	: 4 - 5 mm
	Diameter of <u>disc floret corolla</u>	: 1 - 2 mm
	Color of <u>disc floret corolla</u> -upper side	: RHS 083D
	Color of <u>disc floret corolla</u> -lower side	: RHS 157D
	Number of phyllaries per capitulum	: 23-25
15	Length of phyllary	: 4-5 mm
	Diameter of phyllary	: 1-2 mm
	Color of upper side of phyllary	: RHS 143A
	Color of lower side of phyllary	: RHS 143B
	Diameter of capitulum at beginning	
20	of flowering	: 7-8 mm
	Depth of capitulum	: 6-8 mm
	Color of capitulum at beginning	
	of flowering	: RHS 083D
	Diameter of capitulum at full	
25	flowering	: 16-21 mm
	Color of capitulum at full flowering	: RHS 086D

**Reproductive organs**Number of pistels : 1Shape of pistels : style with two filiform branches

5

Pollen : no pollen is producedLength of stigma and style : 8-9 mmColor of stigma : RHS 091AInferior ovary : 5-ribbed10. Pappus : shortNumber of anthers : 5, connate in a tube, filaments freeShape of anthers : ecalcaratePollen : no pollen is produced15. Fragrance : No fragranceLastingness of the bloom : The capitula of one umbel open over a period of 5 to 6 weeks**Seeds**20. Seedset : No seedset has been observed**Roots**25. Type of roots : Fibrous. Roots start to grow on every part of the stem that contacts the soil; so not only at the nodes.**Physiological and ecological characteristics:**

Good tolerance to heat and cold, but no frost tolerance. Strong resistance to pests and diseases.

**What is claimed is:**

1. A new and distinct variety of Ageratum plant, substantially as herein illustrated and described, characterized particularly as to novelty by big blue flowers, which appear early on the plant, which produces no seeds, and has a growing habit that is erect, well branched and vigorous.

**Abstract**

A new Ageratum plant particularly distinguished by its large blue flower, early flowering, nicely branched plant habit and vigorous growth.